


GENERAL PURPOSE SOLENOID VALVES



2-Way Normally Closed & Normally Open


DIRECT ACTING



S30 & S31 SERIES

- 1/8", 1/4", 3/8" NPT
- Stainless Steel, Brass, Aluminum

HIGH FLOW MINI-DIAPHRAGM



S80 SERIES

- 1/4", 3/8", 1/2" NPT
- Brass

HIGH FLOW PILOTED PISTON



S40 SERIES PILOTED PISTON

- 1/4", 3/8", 1/2" NPT
- Stainless Steel, Brass

HIGH PRESSURE



H40 SERIES PILOTED PISTON

- 1/4", 3/8", 1/2" NPT
- to 2200 psi

H21 SERIES PILOTED DIAPHRAGM

- 3/8", 1/2" NPT
- to 1500 psi

"SpaceSaver" MANIFOLDS



M30, M31 & M40 SERIES

- Stainless Steel, Brass, Aluminum, Polymers


A DEMA Company



Chemical dispensing systems; fluid control devices; industrial solenoid valves, strainers, pumps & injectors. For industrial, institutional or professional markets.

2-Way Solenoid Valves: Normally Closed & Normally Open (continued)


2-WAY PILOTED DIAPHRAGM



S21 SERIES

- 3/8" to 2" NPT
- Stainless Steel, Brass, Noryl


ZERO DIFF. PILOTED DIAPHRAGM



S20 & S27 SERIES

- 3/8" to 2" NPT
- Stainless Steel, Brass, Noryl

TYPE 316 STAINLESS STEEL BODIES



S21, S20, S27 SERIES

- 3/8" to 2" NPT
- Including NC, NO, 0 differential


"Cost Saver" VALVES FOR OEMs



S71 SERIES

- 3/8" to 1" NPT
- Brass, Nylon bodies


STEAM & ANTI-WATER HAMMER



HIGH PERFORMANCE

- 3/8" to 2" NPT
- Stainless Steel, Brass


FLANGED SOLENOID VALVES




S21 SERIES

- 2" to 6" Flanged
- Cast Iron, Carbon Steel

**3-Way Solenoid Valves:
Normally Closed, Normally
Open, Universal, Diverting**




3-WAY DIRECT ACTING



S30 & S31 SERIES

- 1/8", 1/4" NPT
- Stainless Steel, Brass

3-WAY - ALL PORTS IN BODY



S33 SERIES

- 1/8", 1/4"
- Stainless Steel, Brass

3-WAY PILOTED DIAPHRAGM



S20 SERIES

- 3/8", 1/2" NPT
- Brass

3-WAY OIL RECIRCULATING



K13 SERIES LEVER ACTING

- 3/8", 1/2", 3/4" NPT
- Brass


3-WAY HIGH FLOW



M20 & M21 SERIES

- 3/8", 1/2", 3/4" NPT
- Stainless Steel, Brass, Noryl

SPECIAL PURPOSE VALVES




FOR AIR SUSPENSION



XTREME FAST VALVES

- 3/8" to 1"
- Brass, Nickel Plated Brass

PNEUMATIC ANGLE VALVES



PAV SERIES

- 1/2" to 1"
- Stainless Steel bodies with Teflon trim
- Piloted by a 3-way solenoid valve

"TimeSaver" SOLENOID VALVES



S20 & S21 SERIES

- 1/2", 3/4" and 1" Noryl bodies with lead-free fittings

NSF DRINKING WATER



NS20, NS21, NS30, and NS31 SERIES

- 1/8" to 3/4" NPT
- Stainless Steel, Noryl

MOTORIZED BALL VALVES



B20 SERIES

- 1/4" to 1" NPT
- Stainless Steel, Brass
- Special seals available for Ozone

Distributed by:

SUNBURY CONTROLS

Eastern Region

PO Box 34, Sunbury, PA 17801

Western Region

PO Box 433, Glenshaw, PA 15116

Tel: 570-505-9572 or 412-926-3068

Fax 412-213-7062

Email: jesse@sunburycontrols.com